






















\* Price based on FOB Taichung Port,Taiwan.

\* Price based on one 20', if less may have occurred USD 250 surcharge for FOB administrative cost.

Picture	Item Code	Description	MOQ	Unit Price	PCs/ 20'	UNITS/ CTN	N.W.(KGS)	GW(KGS)	CUFT	Remark
 210mm	TWZ900	Overall Length:210mm Upper blade: High Carbon SK5 steel with hard chrome Lower blade: High Carbon SK7 steel with hard chrome Handle: Aluminum handles with PVC grips Safety lock: Zinc material/Spring: Coil spring Packing: Sliding Card/Inner Box:12PCS/Master:72PCS Feature 1. Ergonomic handle design for professional garden/farming users. 2. Easy operating when pressing two handles closer to release lock mechanism. 3. Non-slippery grips add comfort to garden users. 4. Max cutting capacity up to 20mm. 12/72.16/17KGS.1.97'	1224	US\$6.49	38376	72	20.50	21.50	1.97	Agriculture Professional
 205mm	TWZ901	Overall Length:205mm Weight:260g Upper blade: High Carbon SK5 steel with hard chrome Upper blade: low-friction & non-corrosive coated Hardness:58-60 HRC Lower blade: High Carbon SK7 steel with hard chrome Lower blade: rust-preventive hard chrome plated Hardness:50-52 HRC Handle: Aluminum alloy + Soft grip sleeve Safety lock: Zinc material Spring: Coil spring Max. Cutting: 22mm 12/72.22/23KGS.1.97'	1224	US\$6.49	38376	72	22.00	23.00	1.97	Agriculture Professional
 180mm	TWZ902	Overall Length:180mm Weight:205g Upper blade: High Carbon SK5 steel with hard chrome Upper blade: low-friction & non-corrosive coated Hardness:58-60 HRC Lower blade: High Carbon SK7 steel with hard chrome Lower blade: rust-preventive hard chrome plated Hardness:50-52 HRC Handle: Aluminum alloy + Soft grip sleeve Safety lock: Zinc material Spring: Coil spring Max. Cutting: 20mm 12/72.17.5/18.5KGS.1.97'	1224	US\$5.80	38376	72	17.50	18.50	1.97	Agriculture Professional
 8" (203mm)	TWZ910	By-pass Pruning Shears Size: 8" (203mm) Upper blade: High Carbon SK5 steel with chrome plating Lower blade: Middle Carbon 50C steel with chrome plating Handle: PVC handle Safety lock: Normal steel Packing: Sliding Card Inner Box:12PCS/Master:72PCS 12/72.16/17KGS.1.97'	1224	US\$4.42	38376	72	16.00	17.00	1.97	Agriculture Professional
 185mm	TWZ920	Overall Length:185mm Weight:160g blade: High carbon steel · rust-preventive hard chrome plated Upper blade Hardness:58-60 HRC Lower blade Hardness:50-52 HRC Handle: PP grip Safety Lock: Normal steel Spring: Coil spring Max. Cutting: 15mm 12/72.15.5/16.5KGS.1.97'	1224	US\$4.30	38376	72	15.50	16.50	1.97	Agriculture Professional
 205mm	TWZ930	Overall Length:205mm Weight:240g blade: High carbon steel · rust-preventive hard chrome plated Upper blade Hardness:58-60 HRC Lower blade Hardness:50-52 HRC Handle: Steel wrapped with soft grip sleeve Safety lock: Zinc material Max. Cutting: 20mm 12/72.19.5/20.5KGS.1.97'	1224	US\$5.68	38376	72	19.55	20.50	1.97	Agriculture Professional
 190mm	TWZ950	Overall Length:190mm Weight:155g Blade: High carbon steel · rust-preventive hard chrome plated Hardness:58-60 HRC Handle: PP grip Safety Lock: Normal steel Spring: Coil spring Max. Cutting: 10mm 12/72.14.5/15.55KGS.1.97'	1224	US\$4.30	38376	72	14.50	15.55	1.97	Agriculture Professional
 210mm	TWZ972	Overall Length:210mm Weight:120g Blade: High carbon steel · rust-preventive hard chrome plated Hardness:56-58 HRC Handle: Steel wrapped with soft grip sleeve 12/72.11.5/12.5KGS.1.65	1224	US\$3.19	45818	72	11.50	12.50	1.65	Agriculture Professional
 60cm	TWZ710	Overall length:60cm Weight:860g Length of aluminum tube:26cm Blade:High Carbon steel · rust-preventive hard Chrome plated Hardness:54-56 HRC Handle: soft grip sleeve Packing: Pouch on blade + PE bag Max. Cutting: 8mm 0/12.11/12KGS.1.01'	1008	US\$16.04	12475	12	11.00	12.00	1.01	Agriculture Professional

Picture	Item Code	Description	MOQ	Unit Price	PCs/ 20'	UNITS/ CTN	N.W.(KGS)	GW(KGS)	CUFT	Remark
 69cm	TWZ800	Overall length:69cm Weight: 1000g Length of aluminum tube:52cm Upper Blade: High carbon steel · low-friction & non-corrosive coated Hardness:54-56 HRC Lower blade:Medium Carbon steel · rust-preventive hard chrome plated Hardness:50-52 HRC Handle: PVC grip Max. Cutting: 35mm 0/12.12.5/13.5KGS.1.28'	1008	US\$14.65	9844	12	12.50	13.50	1.28	Agriculture Professional
 303mm	TWZ610	Power-saving Tree Pole Pruner Overall length:303mm/Weight:600g Blade: High carbon steel · low-friction & non-corrosive coated Hardness:54-56 HRC String: 169" Grip designed with non-slip feature, Nylon+fiber material is applied Saw: 1.0mm x L14"/Max. cutting: 35mm Application: High altitude pruning 0/12.9.5/10.5KGS.1.28'	1200	US\$11.81	9844	12	9.50	10.50	1.28	Agriculture Professional
 Min. Length:152cm Max. Length:400cm	TWZG004	3 section aluminum pole with PVC matt 3-Section extension aluminum pole-L400cm Min. Length: 152cm/Max. Length:400cm/Weight:1.0 KG Inner/Outer poles are wrapped with PVC sleeve Lock/Open: Inner / outer poles are rotating at opposite directions, to lock / unlock the pole. It can be adjusted between152 -400cm in length and locked, according to personal request. Pack with PE bag/12PCS per master carton 0/12.10/11KGS.0.95'	600	US\$9.79	13263	12	10.00	11.00	0.95	Agriculture Professional
 440mm in total	TWS711	Length: 440mm in total Saw: High Carbon Steel with no-stick coating Hardness: 52-54HRC Handle: ABS & TPR 12/72 22.7/23.7KGS, CUFT:2.95"	1008	US\$4.32	25627	72	22.70	23.70	2.95	DIY Standard
 14" (355mm)	TWS121	S121TC 14" Q'neck Ratchet By-pass Tree Pruner Size: 14" (355mm) Blade: High Carbon SK5 steel with non stick coating Body: Middle Carbon 50C with powder coated String: 169" (4290mm) Packing: Blister Max cutting capacity up to 36mm." S138 Q'neck Pruning Saw Description: 14" Curved 1 Side Sharpened Blade Saw Length: 14" (355mm) Blade: High Carbon SK5 steel Hardness: HRC 45-48 Thickness: 1.0mm Packing: Blister Packing Qty(pcs)/Outer Carton:12 Whole set Packing : 6sets/carton Carton:N.W.:13.4 KGS, G.W.:15.5 KGS, CUFT:2.85'	1008	US\$10.68	2211	6	13.40	15.50	2.85	DIY Standard
 8 1/2" (215mm)	TWS810	S810 Aluminum By-pass Pruning Shears Size: 8 1/2" (215mm) Upper blade: Middle Carbon 50C steel with polish finished Lower blade: Middle Carbon 50C steel with polish finished Handle: Aluminum handles with PVC grips Safety lock: Normal steel Spring: Volute Spring Packing: Sliding Card Inner Box:12PCS/Master:72PCS N.W.:19.0KGS, G.W.:20.0KGS, CUFT:2.0'	1008	US\$2.52	37800	72	19.00	20.00	2.00	DIY Standard
 7" (178mm)	TWS815	S815TCM Aluminum By-pass Pruning Shears Size: 7" (178mm) Upper blade: High Carbon SK5 steel with non stick coating Lower blade: Middle Carbon 50C steel with chrome plating Handle: Aluminum handles with PVC grips Safety lock: Nylon material Packing: PA Inner Box:12PCS/Master:72PCS N.W.:15.0KGS, G.W.:16.0KGS, CUFT:2.23'	1008	US\$3.37	33901	72	15.00	16.00	2.23	DIY Standard
 8" (203mm)	TWS919	S919TCM Ratchet Anvil Pruning Shears Size: 8" (203mm) Blade: High Carbon SK5 steel with non stick coating Handle: Aluminum with PVC grips Safety Lock: ABS material Packing: Sliding Card Inner Box:12PCS/Master:72PCS N.W.:18.5KGS, G.W.:19.5KGS, CUFT:2.7'	1020	US\$2.98	28000	72	18.50	19.50	2.70	DIY Standard
 7" (178mm)	TWS983	S983TP By-pass Pruning Shears Size: 7" (178mm) Upper blade: High Carbon SK5 steel with non stick coating Lower blade: Middle Carbon 50C steel with chrome plating Handle: PP handles with TPR grips Safety Lock: POM Spring: Coil spring Packing: Sliding Card Inner Box:12PCS/Master:72PCS N.W.:14.5KGS, G.W.:15.5KGS, CUFT:1.57'	1008	US\$2.86	48153	72	14.50	15.50	1.57	DIY Standard

Picture	Item Code	Description	MOQ	Unit Price	PCS/ 20'	UNITS/ CTN	N.W.(KGS)	GW(KGS)	CUFT	Remark
 7" (178mm)	TWS984	S984TP Anvil Pruning Shears Size: 7" (178mm) Upper blade: High Carbon SK5 steel with non stick coating Lower blade: Middle Carbon 50C steel with chrome plating Handle: PP handles with TPR grips Safety Lock: POM Spring: Coil spring Packing: Sliding Card Inner Box:12PCS/Master:72PCS N.W.:14.5KGS, G.W.:15.5KGS, CUFT:1.57'	1008	US\$2.90	48153	72	14.50	15.50	1.57	DIY Standard
 7" (178mm)	TWS985	S985TP Floral Pruning Shears Size: 7" (178mm) Upper blade: High Carbon SK5 steel with non stick coating Lower blade: Middle Carbon 50C steel with chrome plating Handle: PP handles with TPR grips Safety Lock: POM Spring: Coil spring Packing: Sliding Card Inner Box:12PCS/Master:72PCS N.W.:14.5KGS, G.W.:15.5KGS, CUFT:1.57'	1008	US\$2.91	48153	72	14.50	15.50	1.57	DIY Standard
 415mm	TWS712	Length: 415mm in total Saw: High Carbon Steel with no-stick coating Hardness: 51-53HRC Handle: ABS & TPR 12/72 18.8/19.8KGS, CUFT:2.8"	1008	US\$4.31	27000	72	18.80	19.80	2.80	DIY Standard
 12" (310mm)	TWS104	Product name: S-104 12" By-pass Tree Pruner Size: 12" (310mm) Blade: High Carbon SK5 steel with non stick coating Body: Middle Carbon 50C with powder coating String: 139" (3530mm) Saw: 1.0mm x 14"	1008	US\$6.51	37800	72			2.00	DIY Standard
 7" (178mm)	TWS818-4BA	S818-4 Floral Pruning Shears Size: 7" (178mm) Upper blade: High Carbon SK5 steel with black dyed Lower blade: High Carbon SK5 steel with black dyed Handle : ABS handles with PVC grips Safety lock: Normal steel Packing: Sliding Card Inner Box:12PCS/Master:72PCS N.W.:8.0KGS, G.W.:9.2KGS, CUFT:0.93' Feature 1. Lightweight pruner for long time pruning user. 2. Non-slippery grips add comfort to garden users. 3. Max cutting capacity up to 6mm.	1008	US\$1.76	37800	72	8.00	9.20	0.93	DIY Standard
 8" (203mm)	TWS526	S-526 By-pass Pruning Shears Size: 8" (203mm) Upper blade: High Carbon SK5 steel with chrome plating Lower blade: Middle Carbon 50C steel with chrome plating Handle: Steel handle with liquid coating Safety Lock: Zinc with black nickel plating Packing: Sliding Card Inner Box:12PCS/Master:72PCS N.W.:17.5KGS, G.W.:18.5KGS, CUFT:2.1'	1008	US\$3.04	37800	72	17.50	18.50	2.10	DIY Standard
 6" (152mm)	TWS536-1	S536-1 By-pass Pruning Shears Size: 6" (152mm) Upper blade: Stainless steel with polish finished Lower blade: Stainless steel with polish finished Handle: PP handles with TPR grips Packing: Sliding Card Inner Box:12PCS/Master:72PCS N.W.:6.8KGS, G.W.:7.8KGS, CUFT:1.2' Feature 1. Ergonomic and lightweight handle design for small hand size garden users. 2. Safety locks for easy operating. 3. Soft TPR grips add comfort to garden users. 4. Max cutting capacity up to 8mm.	1008	US\$2.16	37800	72	6.80	7.80	1.20	DIY Standard
 6"(152mm)	TWS537-1	S537-1 Floral Pruning Shears Size: 6"(152mm) Upper blade: Stainless steel with polish finished Lower blade: Stainless steel with polish finished Handle: PP handles with TPR grips Packing: Sliding Card Inner Box:12PCS/Master:72PCS N.W.:6.8KGS, G.W.:7.8KGS, CUFT:1.2' Feature 1. Ergonomic and lightweight handle design for small hand size garden users. 2. Safety locks for easy operating. 3. Soft TPR grips add comfort to garden users. 4. Max cutting capacity up to 6mm.	1008	US\$2.14	37800	72	6.80	7.80	1.20	DIY Standard
 7 1/2" (190mm)	TWS954TP	S954 Anvil Pruning Shears Size: 7 1/2" (190mm) Upper blade: High Carbon SK5 steel with non stick coating Lower blade: Middle Carbon 50C steel with chrome plating Handle: PP handles with TPR grips Safety Lock: POM material Spring: Volute spring Packing: Sliding Card Inner Box:12PCS/Master:72PCS N.W.:15.2KGS, G.W.:16.2KGS, CUFT:2.1' Feature 1. Curve serrated anvil allows the stem to be wrapped around, avoid slippage during cutting action and securely held in place. 2. Ergonomic handle design provides fast and comfortable precision cuts. 3. Soft TPR grip adds comfort to garden users. 4. Safety locks for operating easier. 5. Max cutting capacity up to 10mm.	1008	US\$2.77	37800	72	15.20	16.00	2.10	DIY Standard

Picture	Item Code	Description	MOQ	Unit Price	PCS/ 20'	UNITS/ CTN	N.W.(KGS)	GW(KGS)	CUFT	Remark
<p>TWS956TP</p>  <p>7 1/2" (190mm)</p>	TWS956TP	<p>S956 By-pass Pruning Shears            Size: 7 1/2" (190mm)            Upper blade: High Carbon SK5 steel with non stick coating            Lower blade: Middle Carbon 50C steel with chrome plating            Handle: PP handles            Safety Lock: POM material            Spring: Volute spring            Packing: Sliding Card            Inner Box:12PCS/Master:72PCS            N.W.:15.0KGS, G.W.:16.0KGS, CUFT:2.1'            Feature</p> <ol style="list-style-type: none"> <li>1. Ergonomic handle design provides fast and comfortable precision cuts.</li> <li>2. Non-stick coated blade makes clean and non rusty cuts.</li> <li>3. Safety locks for operating easier.</li> <li>4. Max cutting capacity up to 10mm.</li> </ol>	1008	US\$2.71	37800	72	15.00	16.00	2.10	DIY Standard
<p>TWS957TP</p>  <p>7 1/2" (190mm)</p>	TWS957TP	<p>S957 Anvil Pruning Shears            Size: 7 1/2" (190mm)            Upper blade: High Carbon SK5 steel with non stick coating            Lower blade: Middle Carbon 50C steel with chrome plating            Handle: PP handles            Safety Lock: POM material            Spring: Volute spring            Packing: Sliding Card            Inner Box:12PCS/Master:72PCS            N.W.:15.0KGS, G.W.:16.0KGS, CUFT:2.1'            Feature</p> <ol style="list-style-type: none"> <li>1. Curve serrated anvil allows the stem to be wrapped around, avoid slippage during cutting action and securely held in place.</li> <li>2. Ergonomic handle design provides fast and comfortable precision cuts.</li> <li>3. Safety locks for operating easier.</li> <li>4. Max cutting capacity up to 10mm.</li> </ol>	1008	US\$2.68	37800	72	15.00	16.00	2.10	DIY Standard